

#whdentalwerk



video.wh.com

Now at
your dealer
or wh.com



LEDs be independent: **Alegra.**

Contra-angle handpieces

alegra led+



Optimal preparation

Long life. Compact. Precise.

The Alegra contra-angle handpieces from W&H make treatment of your patients very efficient and extremely safe.

Compact and high-performance

The compact size and weight of the electric motor mean work with the Alegra contra-angle handpieces is ergonomic and fatigue-free.



Efficient and precise preparation – regulated finishing

Optimal preparation results for your CAD/CAM-produced restoration with the Alegra WE-99 LED G contra-angle handpiece.

Add on

The W&H electric motors are ideal for integrating into your individual workflow. You can either choose the smart add-on with flexible installation options (EM-12 L) or take advantage of a built-in solution with convenient full integration into your dental unit (EM-12 L & EM-11 L).



Daylight quality LED+ for everyone

Drive on = LED+ on.

A built-in generator functions as an integrated energy source for LEDs, based on the principle of a bicycle dynamo. As such, Alegra LED+ contra-angle handpieces offer you daylight-quality light, irrespective of whether the respective drive is equipped with light or not.

Guaranteed reliable

Contra-angle handpieces made in Austria: long life, durable, precise.



High colour rendering index (CRI)

The secret is in the contrast: the Alegra offers natural reproduction of red tones and a sharp colour contrast.




Work more comfortably with LED+

Daylight in the mouth: Thanks to the LED generator and optimal position of the light outlet.

Astonishingly innovative

The LED generator as an integrated energy source for LEDs is based on the principle of a bicycle dynamo.



Absolutely independent

Daylight-quality light irrespective of your unit and without additional investment thanks to built-in LED generator.

Technical data



Type:	WE-99 LED G	WE-56 LED G	WE-66 LED G
Light:	LED+		
Transmission ratio:	1 : 4.5	1 : 1	4 : 1
Head size:	Ø 10.1 mm		
Head height: with 19 mm (FG bur) or 22.5 mm (Contra-angle handpiece bur):	22.7 mm	24.2 mm	
Rotary instruments:	FG bur	Contra-angle handpiece bur	
Instrument shaft diameter:	Ø 1.6 mm	Ø 2.35 mm	
Max. length:	25 mm	34 mm	
Spray:	3x	1x	
Instrument coupling:	ISO 3964 (Ø 20 mm) compatible		
Warranty:	12 months		

Attention: Not all products mentioned in this brochure are available in all countries. Please contact your local W&H representative for details.

Manufacturer:

W&H Dentalwerk Bürmoos GmbH
 Ignaz-Glaser-Straße 53, Postfach 1
 51111 Bürmoos, **Austria**
t +43 6274 6236-0
f +43 6274 6236-55
 office@wh.com
wh.com